

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L30	5	L18 and (bit near2 vector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 14:03
L29	32	L21 and (bit near2 vector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 14:03
L28	6	L22 and (bit near2 vector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 14:03
L27	160	L26 and (bit near2 vector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 14:02
L26	1860	L16 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 14:02
L25	32	L6 and (bit with vector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 14:01
L24	23191	L23 and (bit with vector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 14:01
L23	582379	L22 and string\$1 or vector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 14:01
L22	2713	L21 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 14:01
L21	8025	"707".clas. and (pda\$1 and phone\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 14:01

L20	2690	L19 and (bit with vector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 14:01
L19	80641	(symbol\$1 with (email or address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 14:01
L18	1173	L17 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:59
L17	8025	"707".clas. and (pda\$1 and phone\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:59
L16	1860	L15 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:59
L15	581592	L14 and string\$1 or vector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:59
L14	150	L13 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:59
L13	519	707/100.ccls. and (pda\$1 and phone\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:59
L12	166	L11 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:58
L11	35781	symbol\$1 with group\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:58
L10	223	L9 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:58

L9	87527	L8 and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:58
L8	128849	one adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:58
L7	14	L6 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:58
L6	1097	L5 and ((non?alphanumeric or alphanumeric or nonalphanumeric) near3 symbol\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:58
L5	47725	L4 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:58
L4	80641	(symbol\$1 with (email or address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:58
L3	12	L2 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:58
L2	1530	L1 and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:58
L1	10029	bit near2 vector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 13:58
S162	0	S157 and S161	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 12:43
S161	7	S160 and (bit near2 vector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 12:43

S160	439	S159 and entire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 12:43
S159	722	S158 and (input with string \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 12:43
S158	33489	S154 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 12:43
S157	519	S156 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 12:43
S156	127587	pda\$1 and phone\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 12:43
S155	519	S154 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 12:43
S154	127587	pda\$1 and phone\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 12:43
S153	2	"5774588".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/15 12:14
S152	2	"6499033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/15 10:22
S151	2	"20050086234" and (storage near2 device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/14 11:02
S150	1	10/687218	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/14 11:01

S149	2	"20050086234" and symbol\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 15:10
S148	7	"687218".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 15:10
S147	4	S129 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 14:41
S146	5791	L15and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:40
S145	40	S112 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:39
S144	4	S107 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:39
S143	339	S102 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:39
S102	86534	pda\$1 and phone\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:39
S142	570	S140 and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:37
S141	1504	S140 and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:37
S140	5100	"707".clas. and (pda\$1 and phone\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:37

S139	31	S137 and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:37
S138	103	S137 and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:37
S137	339	707/100.ccls. and (pda\$1 and phone\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:37
S95	1390	S94 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:37
S91	119	S90 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:37
S136	9	((portable near3 device\$1) with (keyword\$1)) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:36
S135	2	((portable near3 device\$1) with (keyword\$1)) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:36
S134	54	(wireless with keyword\$1) and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:36
S133	34	(wireless with keyword\$1) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:36
S84	112	(wireless with keyword\$1) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:36
S83	15	((portable near3 device\$1) with (keyword\$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:36

S132	12713	S130 and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:35
S131	9179	S130 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:35
S130	31714	symbol\$1 with group\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:35
S67	19739	S66 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:35
S129	1438	S127 and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:34
S128	2516	S127 and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:34
S127	8555	bit near2 vector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:34
S126	6	S124 and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:34
S125	41	S124 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:34
S124	90	S123 and alphanumeric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:34
S123	2317	S120 and ((symbol\$1 near3 represent\$1) near3 (address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:34

S57	5947	S56 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:34
S46	60	S45 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:34
S122	897	S120 and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:33
S121	652	S120 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:33
S120	2321	((symbol\$1 near3 represent \$1) near3 (email or address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:32
S119	39682	S117 and @prad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:32
S118	28570	S117 and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:32
S42	1487	S41 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:32
S117	114913	one adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:31
S116	83	S113 and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:31
S115	228	S113 and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:31

S114	228	S113 and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:31
S113	745	nonalphanumeric or non? alphanumeric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:31
S39	82993	S38 and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:31
S29	442	S28 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:31
S112	24709	S108 and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:30
S111	16979	S108 and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:30
S24	43230	S23 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:30
S110	24709	S108 and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:29
S109	16979	S108 and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:29
S108	68415	(symbol\$1 with (email or address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:29
S107	1438	S105 and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:29

S106	2516	S105 and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:29
S105	8555	bit near2 vector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:28
S104	17513	S102 and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:28
S103	15193	S102 and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:28
S101	17513	S99 and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:28
S100	15193	S99 and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:28
S11	5947	S10 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:28
S8	28645	S7 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:28
S99	86534	pda\$1 and phone\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:27
S3	28589	S2 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 10:27
S98	451	S97 and compar\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 15:26

S97	607	S95 and (string\$1 or vector \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 15:26
S96	465578	S95 and string\$1 or vector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 15:25
S94	2899	"707".clas. and (pda\$1 and phone\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 15:25
S93	62	S91 and (string\$1 or vector \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 15:25
S92	465184	S91 and string\$1 or vector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 15:25
S90	290	707/100.ccls. and (pda\$1 and phone\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 15:25
S2	47709	pda\$1 and phone\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 15:24
S89	2	"5774588".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 14:45
S88	2	"20050086234"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 14:45
S1	1652765	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 12:49
S87	2	"20050086234"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 12:48

S86	6	"687218".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 12:48
S85	2	"20040097246"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 09:23
S82	1	((portable near3 device\$1) with (keyword\$1 near5 database\$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 16:03
S81	8	((wireless near3 device\$1) with (index\$3 near5 database \$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 16:02
S74	2	((wireless near3 device\$1) with (keyword\$1 near5 database\$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:52
S80	2	"20020015061" and keyword \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:36
S75	29	((wireless near3 device\$1) with (keyword\$1)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:36
S79	2	"6801851".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:06
S78	0	"68018581".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:06
S77	2	"7103550".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:06
S76	2	"6983310".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:05

S73	52507	(wireless near3 device\$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 14:40
S6	6	S5 and (bit near2 vector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 14:39
S72	2	"5774588".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 14:26
S71	3	"111888".ap. and (symbol or assign or group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 12:18
S70	31	S68 and (((symbol\$1 with group\$1) near3 assign\$4) and (phone or telephone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 12:18
S69	0	S68 and (((symbol\$1 with group\$1) near3 assign\$4) with (phone or telephone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 11:54
S68	120	S67 and ((symbol\$1 with group\$1) near3 assign\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 11:53
S66	26806	symbol\$1 with group\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 11:52
S65	4	S64 and ((logical or boolean) with (zero\$2 or non?zero\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 17:43
S64	30	S59 and (logical or boolean)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 17:43
S59	36	S58 and (hierarchy or tree\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 17:42

S63	2	"4606002".pn. and (tree or vector or hierarchy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 17:03
S62	2	"6047283".pn. and (tree or vector or hierarchy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 17:03
S61	0	"4814972".pn. and hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:46
S60	0	"4935870".pn. and hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:42
S58	127	S57 and ((bit near2 vector\$1) with string\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:36
S56	6946	bit near2 vector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:36
S13	127	S11 and ((bit near2 vector\$1) with string\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:36
S55	0	"5774588".pn. and (hierarchy or leaf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:31
S37	1	"5774588".pn. and (alphanumeric or non? alphanumeric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:31
S54	1	"687218".ap. and (hierarchy or leaf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:25
S53	1	"687218".ap. and prefix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:24

S51	3	"687218".ap. and predetermined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 14:26
S52	1	(abort\$5 or perempt\$5) with (search\$5 near3 (predetermined near3 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 13:53
S50	6	"687218".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 13:51
S49	0	"687218".ap. and perempt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 13:51
S48	60	S46 and (symbol or represent \$4 or email\$1 or address or number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 13:51
S47	1156	"L60" and (symbol or represent\$4 or email\$1 or address or number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 13:05
S45	77	S43 and alphanumeric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 12:57
S43	1893	S41 and ((symbol\$1 near3 represent\$1) near3 (address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 12:55
S44	1	S41 and ((symbol\$1 near3 represent\$1) near3 email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 12:54
S41	1894	((symbol\$1 near3 represent \$1) near3 (email or address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 12:54
S40	1	(symbol\$1 near3 represent\$1 near3 email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 12:52

S31	37	S30 and ((nonalphanumeric or non?alphanumeric) with (email or address or number \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 12:51
S38	97634	one adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 12:43
S36	5	"472405".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 14:47
S35	6	"687218".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 14:47
S34	2	"5703581".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 14:31
S33	0	"5703581".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 14:21
S32	6	"065285".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 14:21
S30	229	S29 and symbol\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 14:00
S28	546	nonalphanumeric or non? alphanumeric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 14:00
S27	24	S24 and ((non?alphanumeric or nonalphanumeric) near3 symbol\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:59
S26	1009	S24 and ((non?alphanumeric or alphanumeric or nonalphanumeric) near3 symbol\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:50

S25	24	S24 and (non?alphanumeric near3 symbol\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:49
S23	54716	(symbol\$1 with (email or address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:37
S22	2	S20 and ((email or mobile or number or address) with (non?alphanumeric))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:37
S21	14	S20 and (email or mobile or number or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:36
S20	21	S19 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:35
S19	24	non?alphanumeric adj symbol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:35
S18	2	"5774588".pn. and ((bit adj vector\$1) or non? alphanumeric or symbol\$1 or position\$1 or predetermined or determined or seconds or time\$1 or predex or frequency or statistical or weighting or weight\$1 or represent\$1 or email or e-mail or mobile or phone or number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:35
S17	2	"6499033".pn. and ((bit adj vector\$1) or non? alphanumeric or symbol\$1 or position\$1 or predetermined or determined or seconds or time\$1 or predex or frequency or statistical or weighting or weight\$1 or represent\$1 or email or e-mail or mobile or phone or number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:18

S16	2	"6778980".pn. and ((bit adj vector\$1) or non? alphanumeric or symbol\$1 or position\$1 or predetermined or determined or seconds or time\$1 or predex or frequency or statistical or weighting or weight\$1 or represent\$1 or email or e-mail or mobile or phone or number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:16
S15	2	"6785677".pn. and ((bit adj vector\$1) or non? alphanumeric or symbol\$1 or position\$1 or predetermined or determined or seconds or time\$1 or predex or frequency or statistical or weighting or weight\$1 or represent\$1 or email or e-mail or mobile or phone or number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:16
S14	0	h785677.pn. and ((bit adj vector\$1) or non? alphanumeric or symbol\$1 or position\$1 or predetermined or determined or seconds or time\$1 or predex or frequency or statistical or weighting or weight\$1 or represent\$1 or email or e-mail or mobile or phone or number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:15
S12	15	S11 and ((bit near2 vector\$1) with (input with string\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 11:34
S10	6946	bit near2 vector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 11:32
S9	334	S8 and (input near3 string\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 11:31
S7	47945	pda\$1 and phone\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 11:31

S4	563	S3 and (input with string\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 11:31
S5	340	S4 and entire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/24 15:51

3/ 20/ 2009 2:04:35 PM**C:\ Documents and Settings\ dmyint\ My Documents\ EAST\ Workspaces\ 10-687-218__1.wsp**